


Air blown Fibre Multimode

Air blown optical fibre is typically used in micro duct installation applications. ABF can utilize in existing and new duct systems more effectively by accommodating more fibres in given subduct network. The fiber units is suitable for air-blown installation. Cable parameters such as cable diameter, stiffness and sheath friction is optimized for best installation performance.

The expected service life in normal use exceeds 30 years.



Product number	Product name	Fibre Count	Fibre Type	Cable Diameter
5044414	2F Blown fiber EPSU MM OM3 Blue HDPE 1,2mm 2km/pan, S12	2	OM3	1.2 mm
5044406	2F Blown fiber EPSU MM OM4 Blue HDPE 1,2mm 2km/pan, S12	2	OM4	1.2 mm
5044410	2F Blown fiber EPSU MM OM1 Orange HDPE 1,2mm 2km/pan, S12	2	OM1	1.2 mm
5044415	4F Blown fiber EPSU MM OM3 Blue HDPE 1,2mm 2km/pan, S12	4	OM3	1.2 mm
5044407	4F Blown fiber EPSU MM OM4 Blue HDPE 1,2mm 2km/pan, S12	4	OM4	1.2 mm
5044411	4F Blown fiber EPSU MM OM1 Orange HDPE 1,2mm 2km/pan, S12	4	OM1	1.2 mm
5044416	8F Blown fiber EPSU MM OM3 Blue HDPE 1,4mm 2km/pan, S12	8	OM3	1.4 mm
5044408	8F Blown fiber EPSU MM OM4 Blue HDPE 1,4mm 2km/pan, S12	8	OM4	1.4 mm
5044412	8F Blown fiber EPSU MM OM1 Orange HDPE 1,4mm 2km/pan, S12	8	OM1	1.4 mm
5044417	12F Blown fiber EPSU MM OM3 Blue HDPE 1,6mm 2km/pan, S12	12	OM3	1.6 mm
5044409	12F Blown fiber EPSU MM OM4 Blue HDPE 1,6mm 2km/pan, S12	12	OM4	1.6 mm
5044413	12F Blown fiber EPSU MM OM1 Orange HDPE 1,6mm 2km/pan, S12	12	OM1	1.6 mm