

<b>Product name</b>	Fibrebox MAB 60F w. splice trays cable 4x1.6-14+12x1.6-10mm IP55
<b>Product code</b>	5061012
<b>GTIN</b>	7332811368868
<b>ETIM-Class</b>	EC002067



## PRODUCT SPECIFICATIONS

The Fiber Optic Box MAB is used to store up to 60 splices in a flip tray splice system. An integrated pole mount is included, making it suitable as an access point for overhead GPON or 5G networks.

- Capacity of up to 60 splices
- Fiber management with flip tray splice system
- Optional placing of PLC Splitters outside a tray (2x small format of 4 x 4 x 40 mm)
- 4x 1.6–14 mm input
- 12x 1.6–10 mm input
- Support for midspan (loop-through) cable
- Integrated pole bracket
- Ability to secure the lid with a screw
- Suitable for overhead networks
- Suitable for GPON and 5G networks
- For G.657A fibers



## Measurements

Length	73 mm
Height	298 mm
Width	239 mm
Weight	1,020 g

## Technical Specifications - Termination/Distribution Boxes

PIA Certified	Yes
Environment	Indoor, Outdoor
Number of splices	60
Number of connectors	0
Number of Entry/cable ports	16
Cable/duct diameters	4×1.6–14mm + 12×1.6–10mm
Mid-span access	Yes
Number of splice trays	5
Max Fibre Count per tray	12
Mounting	Wall Mount
Dark fiber storage	Yes
Lockable	No
IP Codes	IP55
Impact protection degree	IK08
Colour	Light Gray RAL 7035
Material	ABS-PC
Halogen Free	Yes
UV Proof	Yes

Weight	1,020 g
--------	---------